



Easy By Design.™

CATALOG

2025

SCAN TO FOLLOW US
ON SOCIAL MEDIA, ACCESS OUR
LATEST CATALOGUES AND MORE.



BLACK+DECKER



**BLACK+
DECKER**



CONTENTS

DRILLS	4
DRILL KIT	6
CORDLESS	8
WOOD WORKING	16
METAL WORKING	18
SPECIALITY TOOLS	19
OTHERS	20
WET & DRY VACUUM CLEANER	22
CORDLESS VACUUMS	26
CORDED VACUUMS	30
STEAM MOPS	31
ROBO VAC	32
PRESSURE WASHERS	33
CHAINSAW	36
LAWN MOVERS	37
LAWN & GARDEN	39
BLOWERS	42

DRILLS

BD65RD - 6.5mm 400W ROTARY DRILL



Specifications

Power Input	400W
Speed	0-3000 rpm
Variable Speed	Yes
Reversible	Yes
Max Drill Capacity	Wood - 10mm
	Metal - 6mm

TB555 - 10mm 550W REVERSIBLE HAMMER DRILL



Specifications

Chuck Size	10mm
Speed	0-2900 rpm
Reversible	Yes
Standard Accessories : 1-Piece Drill, 1-Piece Chuck Key	

KR5010 - 10mm 550W SINGLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	10mm
Speed	2800 rpm
Impact Rate	47600 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 10mm
	Masonry - 10mm

DRILLS

KR5010V - 10mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	10mm
Speed	0-2800 rpm
Impact Rate	0-47600 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 10mm
	Masonry - 10mm

KR554RE - 13mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	13mm
Speed	0-2800 rpm
Beats Per Minute	0-47600 bpm
Max. Torque	4.5Nm
Max. Drill Capacity	Wood- 20mm
	Steel- 13mm
	Masonry- 13mm

HD555 - 13mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	13mm
Speed	0-2800 rpm
Impact Rate	0-45000 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 13mm
	Masonry - 13mm

Standard Accessories : Side Handle and Depth Gauge

DRILL KITS

HD400K50 - 10mm 550W HAMMER DRILL KIT 50 TOOLS

NEW



Specifications

Power Input	500W
Voltage	220-240V
No Load Speed	3000 RPM
Multipurpose	Ideal for drilling in concrete, masonry & stone
Max Drill Capacity	Wood - 20mm
	Steel/Concrete - 10mm

Standard Accessories:

- 10 mm Hameer Drill • Chuck key • 5 HSS Drill Bits
- 5 Masonry Drill Bits • 15 Bit Tips Screwdriver
- 25 Anchors & Screws

HD555K50 - 13mm 550W HAMMER DRILL KIT 50 TOOLS



Specifications

Power Input	550W
No Load Speed	0-2800 rpm
Beats Per Minute	0-45000 bpm
Chuck Size	13mm
Max Drill Capacity	Wood - 20mm
	Steel - 13mm
	Masonry - 10mm

Reverse Action Yes

Variable Speed Yes

Standard Accessories:

- 550W 13mm Hammer Drill • Chuck key • 4 x HSS Drill Bits
- 4 x Masonry Drill Bits • 5 x 50mm Screwdriving Bits



DRILL KITS

RT18KA - ROTARY TOOL WITH ACCESSORIES KIT BOX



Specifications

Power Input	180W
No Load Speed	0-35000 rpm

Standard Accessories:

- 1x Rotary Tool • 1x Base Clamp • 1x Hanging Frame • 1x Flexible Shaft
- 1x Collet Spanner • 3x Collets: 1/8", 3/32", 1/16" • 23x Cutting Discs
- 31x Sanding Disc • 1x Sanding Bit • 18x Sanding Pads
- 9x Polishing Discs • 1x Bronze Brush • 1x Radial Bronze Brush
- 1x Regular Brush • 1x Regular Radial Brush • 3x Diamond Bits
- 3x Multi-Purpose Bits • 2x Chucks • 1x Chuck for polishing pads
- 1x Rectifying Stone • 10x Grinding Stone • 1x Plastic Box

HD555KMPR - 13mm 550W HAMMER DRILL WITH KIT 100 ACCESSORIES



Specifications

Power Input	550W
Chuck Size	13mm
Chuck Type	Keyed
No Load Speed	0-2800 rpm
Blows Per Minute	0-45000 bpm
Max. Drill Capacity	Steel - 13mm
	Masonry - 13mm
	Wood- 20mm

Standard Accessories:

- 550W 13mm Hammer Drill • Chuck Key • 1x Adjustable Wrench
- 1x6" Plier • 1x Knife • 1x Magnetic Bit Holder • 1x Magnetic Driver
- 10x Screw Bits • 5x Drill Bits for steel (2/3/4/5/6 mm)
- 5x Drill Bits for masonry (4/5/6/8/10 mm) • 4x Drill Bits for Wood (4/5/6/8 mm)
- 30x Screws (φ3/4/5) + 30x Wall Plugs (φ5/6/8)

CORDLESS

BD40K27 - 3.6V Li-ion SCREWDRIVER WITH 27 ACCESSORIES



Specifications

Voltage	3.6V
Motor Size	380mm
Charger Input Connection	USB 2.0
Charging Time	1.5hr (BD40K2 7)
Switch	Push Type
Chuck Size	6.35mm (1/ 4")
No Load Speed*	320 rpm
Battery Capacity	1.5Ah
Intelligent Torque Adjustment	43835
Max Hard/Soft Torque	5/2.5Nm
Forward/Reverse Function	YES
Self-Locking Function	YES
Battery Capacity Warning	2 LED
LED Working Light	2 LED
Charging Indicator	5 LED
Weight	0.28kg

Standard Accessories:

- 1 pc hand tool: precision screwdriver
- Magnetic bit to avoid screw drop
- 8 pcs precision bits for glasses/clocks repair
- 2 pcs 50mm longer bit for in-depth screw use

BD40K27P - 4V PUSH & GO SCREWDRIVER - PINK



Specifications

Voltage	4V Max
Motor Size	380mm
Charger Input Connection	USB 2.0
Charge Time	1.5hr
Switch	Push Type
No Load Speed	320 rpm
Battery Capacity	1.5Ah
Weight	0.28kg

Features

- Magnetic bit to avoid screw drop • 50mm longer screw bits
- Extra hand tool precision screwdriver and bits for repair work

CORDLESS

BD40K4 - 3.6V Li-ion SCREWDRIVER WITH 4 ACCESSORIES



Specifications

Voltage	3.6V
Motor Size	38mm
Charger Input Connection	USB 2.0
Charging Time	1.5hr (BD40K2 7)
Switch	Push Type
Chuck Size	6.35mm (1/ 4")
No Load Speed*	320 rpm
Battery Capacity	1.5Ah
Intelligent Torque Adjustment	43835
Max Hard/Soft Torque	5/2.5Nm
Forward/Reverse Function	YES
Self-Locking Function	YES
Battery Capacity Warning	2 LED
LED Working Light	2 LED
Charging Indicator	5 LED
Weight	0.28kg

Standard Accessories:

- 1 pc hand tool: precision screwdriver
- 4 pcs precision bits for glasses/clocks repair

BCRT8K35 - 8V ROTARY TOOL WITH ACCESSORIES



Specifications

Voltage	8 V Max
No Load Speed	3500-29500 rpm
No load Amps	1.5A
Bit holder	0.8, 1.6, 2.4, 3.2
Weight	0.38kg

CORDLESS

KC4815 - 4.8V CORDLESS Ni-Cd SCREWDRIVER



Specifications

Voltage	4.8V
Battery Type	Ni-Cd
Max Torque	3.5Nm
Speed	0-200 rpm
Reversible	Yes
Weight	0.24kg

Standard Accessories:

• 1 Cordless Screwdriver • 1 Charger • 15 Bits • 1 Magnetic Bit Holder

LD12SP - 12V Li-ion CORDLESS DRILL DRIVER WITH INTEGRATED BATTERY



Specifications

Voltage	12V
Chuck Size	10mm
Speed	0-900 rpm
Max. Drill	Wood - 15mm
Reversible	Yes
Weight	1.35kg

Standard Accessories:

• 1 x Charger • 2 x Drill Bits • 1 x Screwbit Adapter
• 10 x Screwdriver Bits • 1 x Kit Box



CORDLESS

BCD003C1 - 10mm 18V CORDLESS HAMMER DRILL



Specifications

Voltage	18V
Battery Type	Lithium-Ion
Chuck Size	10mm
Speed	0-400/1400 rpm
Reversible	Yes
Max Capacity	Wood - 25mm
	Steel - 10mm
	Masonry - 10mm
Max. Torque	46Nm

Standard Accessories

- 1x18V / 1.5Ah lithium-ion slidepack battery
- 400mA charger
- Bit holder
- LED work light



CORDLESS

CD121B2 - 12V Ni-Cd CORDLESS DRILL WITH 2 BATTERIES



Specifications

Voltage	12V
Battery Capacity	1.3Ah, Ni-Cd
Torque	8Nm
Chuck Size	10mm
No Load Speed	0-550 rpm
Weight	1.35kg
Charger	Charger Adapter
Output Current	450mA
Charging Time	5-7hr

Standard Accessories:
• 1 Cordless Drill • 2 Batteries • 1 Charger • 15 Drill Bits
• 1 Magnetic Bit Holder



CORDLESS

BCRTA01- 3.6V FURNITURE ASSEMBLY TOOL



Specifications

Voltage	3.6V
Battery Capacity	1.5Ah
Charger Output	400mA
Charging Time	1-3hr

Features

- A screwdriver directed to users who need to assemble furniture
- Key differentiator vs. other screwdriver is its exclusive chuck, that accepts the hex keys commonly shipped in IKEA-type furniture
- Accepts other bit types as well

KC3610 - 3.6V Ni-Cd SCREWDRIVER + 10 BIT SETS



Specifications

Battery Type	Ni-Cd
Battery Capacity	600mAh
Voltage	3.6V
Speed	200 rpm
Torque	3Nm
Pivot	No
Weight	0.26kg
Charger	Jack Plug
Output Current	300mA
Charge Time	1-3hr

Features

- Extensive range of Black+Decker set providing a wide offering across all price points
- High value sets with the most common components to suit the average DIY' er
- Exclusive Black+Decker sets distinctive packaging and design only available under the Black+Decker brand

CORDLESS



Hammer Drill

MTHD5



- Removing rusty/old or damaged screws
- Driving large bolts/screws without needing a pilot hole
- Driving self tapping screws straight into metal work



Detail Sander

MTSA2



Ideal for preparing wood surfaces for paint or varnish



Jigsaw

MTJS1



- Straight or curved cuts in wood, metal and plastic



Impact Driver

MTIM3



- Removing rusty/old or damaged screws
- Driving large bolts/screws without needing a pilot hole
- Driving self tapping screws straight into metal work



Router

MTRT8



- Fitting door hinges and door locks
- Wood carving on flat surfaces
- Routing accurate joints e.g., dovetails
- Routing decorative edges on timber



Oscillating Tool

MTOS4



Ideal for sanding woods, laminate flooring, stone, breezeblocks, plasterboard and for polishing and rust removal

Ideal for scraping linoleum flooring tile adhesive, ceramic tile adhesive, removal of linoleum, carpet tiles and sealant removal
Ideal for cutting wood, metal, plasterboard, laminate flooring, plastics and fiberglass



High Pressure Inflator

MTNF9



- Ideal for inflating the tyres of cars, motorcycles, mopeds, bicycles, golf carts, caravans, boat and car trailers
- Can also inflate sports equipment such as beach balls, footballs etc

CORDLESS



multiEVO™

Different Tools With A Single Click

MT218K



Powered by
POWERCONNECT™
System

WOOD WORKING

CS1500 - 1500W CIRCULAR SAW



Specifications

Power	1500W
Blade Size	185mm
Speed	5500 rpm
Cutting Depth @ 90°	62mm
Cutting Depth @ 45°	46mm
Beveling Shoe	0-45°

KW712 - 650W REBATING PLANER



Specifications

Power Input	650W
Speed	17000 rpm
Cutting Depth	0-2mm
Width of Cutting	82mm
Planing Width	82mm
Rebating Depth	8mm
Blade Type	TC Reversible Blade

KA400- ¼" 220W SHEET SANDER



Specifications

Power Input	220W
Speed	15000 rpm
Excentricity	0.8mm
Orbit Diameter	1.6mm
Paper Size	114 x 114mm
Platen Size	113.5 x 109mm
Dust Extraction	Dust Bag

WOOD WORKING

BES603 - 400 W VARIABLE SPEED JIGSAW



Specifications

Power	400W
Strokes	3000 /min
Tool Free Blade Clamp	Yes
Lock On Switch	Yes
Bevel Cut	0-45 °
Depth of Cut (Wood/Steel/Aluminum)	65mm / 6mm / 10mm
Stroke Length	18mm
Dust Blower	Yes
Dust Extraction	Yes

KS700PE - 480W VARIABLE SPEED PENDULUM JIGSAW



Specifications

Power Input	480W
No load speed	0-3000 min ⁻¹
Cutting Depth	Wood - 60mm Steel - 5mm Aluminium -10mm
Bevel Cut	0-45°
Pendulum	Yes

KS900EKX - 600W VARIABLE SPEED PENDULUM JIGSAW WITH KIT



Specifications

Power Input	600W
No load speed	800-3000 min ⁻¹
Cutting Depth	Wood - 85mm Steel - 5mm Aluminium -15mm
Weight	2.36kg
Pendulum	Yes

METAL WORKING

G650 - 100mm 650W SMALL ANGLE GRINDER



Specifications

Power	650W
Disc Diameter	100mm
Voltage	220-240V ~ 50/60Hz
Rate Speed	12000/min (rpm)
Spindle Size	M10
Cable Length	2m

Features

- Powerful 650W motor
- Compact design
- Spindle Lock
- Side handle with 2 positions
- Dust seal switch with lock for continuous use

G720R - 100mm 820W SMALL ANGLE GRINDER



Specifications

Power Input	820W
Speed	11000 rpm
Spindle Size	M10
Spindle Lock	Yes
Lock ON/Off Switch	Yes
Switch Type	Slider



SPECIALTY TOOLS

KX1800 - 1800W 2 SPEED HEAT GUN



Specifications

Power Input	1800W
Voltage	220-240V
Style	Pistol
Two Heat Setting	300°-580°C
Airflow	500/650 L/Min
Cable Length	2m

KX2001K-QS - 2000W HEAT GUN WITH TEMP CTRL (KIT BOX)

NEW



Specifications

Power Input	2000W
Voltage	220-240V
Air Flow	300-500 l/min
Working Temperature	450-600°C
Easy to use	For removing paint, varnish, adhesives etc.
Heat Control knob	Regulates temperature for precise heating.

BDB530- 530W SINGLE SPEED BLOWER



Specifications

Power	530 W
Frequency	50/60 Hz
No-load Speed	16000 /min
Air Volume	3.5 m³/min
Weight	1.6kg
Voltage	220-240 V

OTHERS

BDC8 - 8L COOLER AND WARMER



Specifications

Volume	8L
12V (Cold /Hot Mode)	approx. 48/42W
Cooling Capacity	Approx. 15°C-18°C below ambient temperature
Warming Capacity	Approx. 50°C-60°C by set point thermostat
Insulation	Polystyrene foam with 100% CFC & HCFC free
Main Plastic Material	PP+ aluminum liner
Cable Length	AC power cord 1.8m with plug

BDC24L - 24L COOLER AND WARMER



Specifications

Volume	24L
220V or 100V (Cold/Hot Mode)	approx. 60/50W
12V (Cold/Hot Mode)	approx. 50/45W
Cooling Capacity	Approx. 15°C-18°C below ambient temperature
Warming Capacity	Approx. 50°C-60°C by set point thermostat
Insulation	Polystyrene foam with 100% CFC & HCFC free
Main Plastic Material	PP
Cable Length	1. AC power cord 1.8m with plug 2. DC power cord (3C) -2.0m

OTHERS

BC12 - 2/8/12Amp AUTOMATIC AND MANUAL CONTROL SMART CHARGER



Specifications

Charging Output	12.8V
Display Mode	LED
Rated Input Voltage	AC 110-220V
Charging Display	Green LED light
Rated Output Voltage	14.8+/-0.3V
Ambient Temperature	00 to +400

ASI200-XJ - 12V COMPRESSOR WITH DIGITAL DISPLAY & AUTO SHUT-OFF

NEW



Specifications

Voltage	12V
Air Pressure	120 PSI
Digital Display	Digital setting of the desired pressure and automatic shut-off
Work Light	For Night usage
Easy to use	Long cable (3.1 m), as well as the illuminated LED display
Multipurpose Usage & Portable	Small, lightweight & powerful: air pump on the go, weights only 1.3 kg

BEW210-QS - 125 MM ORBITAL SANDER

NEW



Specifications

Power Input	230 W
Voltage	220-240V
No Load Speed	0-13000 RPM (Quick material removal).
Dust Bag	Dust bag included for a cleaner workspace.
Quick -fit	Velcro sanding sheet attachment for quick and easy paper change.
Multipurpose Usage	Ideal for sanding / polishing on wood, metal, PVC and paint on flat and curved surfaces

WET & DRY VACUUM CLEANER

WDBD10



10L WET & DRY VACUUM CLEANER WDBD10



Motor Power (W)	220-240V, 50/60 Hz 1200W
Vacuum Pressure (KPa)	≥15
Suction Power (W)	120
Noise (dB)	≤84
Dust Capacity (L)	10
Filtration	HEPA filter
Power Cable Length (m)	3.5
N.W. (KG)	3.1

With HEPA filter to capture even the smallest particles of dust, dander and other allergens
Includes a variety of nozzles and brushes for a variety of vacuuming applications
Comes with removable, washable and reusable dust bag
Wheels for ease of movement

WDBD15



15L WET & DRY VACUUM CLEANER WDBD15



Motor Power (W)	220-240V, 50/60 Hz 1400W
Vacuum Pressure (KPa)	≥16
Suction Power (W)	140
Noise (dB)	≤85
Dust Capacity (L)	15
Filtration	HEPA filter
Power Cable Length (m)	5.0
N.W. (KG)	5.1

With HEPA filter to capture even the smallest particles of dust, dander and other allergens
Includes a variety of nozzles and brushes for a variety of vacuuming applications
Comes with removable, washable and reusable dust bag
Wheels for ease of movement

WDBDS30



30L WET & DRY VACUUM CLEANER WDBDS30



Motor Power (W)	220-240V, 50/60 Hz 1600W
Vacuum Pressure (KPa)	≥17
Suction Power (W)	170
Noise (dB)	≤86
Dust Capacity (L)	25
Filtration	HEPA filter
Power Cable Length (m)	5.0
N.W. (KG)	7.6

With an impact resistant stainless steel tank for longer usage life
Washable HEPA filter is able to capture smallest of allergen



WET & DRY VACUUM CLEANER

BDWD08 - 8L WET & DRY VACUUM CLEANER



Specifications

Power	1000W
Voltage	220-240V
Frequency	50 Hz
Airflow	$\geq 1.6 \text{ (m}^3/\text{min)}$
Vacuum Pressure	14-19 Kpa
Noise (LpA)	≤ 90
Tank Capacity	8 L
Electrical Cord Length	5.5m

ADV1210 - 12V DC CYCLONIC AUTO VAC



Accessories

- This reusable, easy to install filter bag can be washed and used multiple times. It will not only collect dust and dirt, but also protect the vacuum cleaner motor from dust
- It can be used in a dry and humid environment and will not tear up like paper filter bags would when used under humid conditions
- Compatible with BLACK+DECKER Wet & Dry Vacuum Cleaners.







CORDLESS VACUUMS

WDC215WA - 7.2 V WET & DRY VACUUM CLEANER



Specifications

Power Rating	7.2V
Suction Power	15.5AW
Total Battery Energy	10.8Wh

Features

- 2 in 1 functionality means this cleaner is also perfect for picking up dust, dirt and debris
- Lightweight cordless technology provides 'grab & go' convenience

Accessories

- Brush Tool • Charging base/Wall attachment
- Crevice Tool • Squeegee Accessory

ADV1210 - 12V DC CYCLONIC AUTO VAC



Specifications

Motor Power	12W
Cord Length	5m
Dust Bowl Capacity	900ml

Features

- Extra long nozzle with wide mouth
- Ergonomic design for comfortable use
- Twin action filtration system

Accessories

Flexible use, Crevice Tool (Long), Brush, Storage Bag
Squeegee Accessory



CORDLESS VACUUMS

PV1820LF - 18V PIVOT HANDHELD VACUUM CLEANER



Specifications

Voltage	18V
Bowl Capacity	440ml
Run Time	12mins
Suction Power	35AW
Weight	1.38kg

Features

- Patented nozzle design pivots up to 200 degree
- Folds in half for comfort charging and storage
- Washable Bowl and Filter
- Translucent bowl for easy and hygienic cleaning

PD1420LP - 14.4 V LITHIUM-ION DUSTBUSTER FLEXI HANDHELD VAC



Specifications

Voltage	14.4V
Bowl Capacity	560ml
Run Time	12.5mins
Suction Power	20AW
Weight	1.42kg

Features

- Li-ion battery technology for strong suction & fade free power.
- High performance cordless hand vac with integrated 1.5m flexible hose.
- Eco smart charge in under 4hours. Automatic cut-off once the unit is fully charged, saving electricity.
- Cyclonic action and triple action filtration allows the product to perform better and last longer.



CORDLESS VACUUMS

WDA320B - 10.8V MPP WET & DRY HANDHELD VACUUM CLEANER



Specifications

Voltage	10.8V
Bowl Capacity	240ml
Run Time	10mins
Suction Power	15AW
Weight	0.9kg

Features

- Charging indicator light.
- Removable, Washable dirt Bowl and Filter.
- Washable Bowl and Filter
- Push-in squeegee easily picks up liquid.

NVB115JM - 3.6V EPP DRY HANDHELD VACUUM CLEANER, MINT



Specifications

Voltage	3.6V
Bowl Capacity	300ml
Run Time	9mins
Suction Power	6.5AW
Weight	0.65kg

Features

- Quick twist bowl, easy to empty
- Lightweight and portable
- Washable Bowl and Filter
- Translucent bagless dirt bowl, easy to see dirt



CORDLESS VACUUMS

PD1200AV - 12V DUSTBUSTER FLEXI AUTO HANDHELD VACUUM CLEANER



Specifications

Voltage	12V
Bowl Capacity	560ml
Cable Length	5m
Suction Power	12.5AW
Weight	1.49kg

Features

- Unique Integrated hose which allows you to reach all areas of your car where other hand vacs cannot.
- Cyclonic action spins dirt away from the filter maintaining optimum suction power.

PV1200AV - 12V DUSTBUSTER FLEXI AUTO HANDHELD VACUUM CLEANER



Specifications

Voltage	12V
Bowl Capacity	440ml
Cable Length	5m
Suction Power	12.5AW
Weight	1.53 kg

Features

- 12V DC adapter fits into cigarette lighter socket.
- 5 meter cable allows to reach all areas of car including the boot.
- Ergonomic design for comfortable use.
- The pivoting nose has 10 settings for maximum flexibility to clean in hard to reach areas such as underneath and in between car seats.
- Cyclonic action spins dirt away from the filter maintaining optimum suction power.



CORDED VACUUMS

VM1200 - 1000W BAGGED VACUUM CLEANER



Specifications

Power	1000W
Suction Power	100 AW
Dust Bag Capacity	1.0L washable

Features

- Dust bag full indicator
- Cord rewind function
- Easy carry handle
- Rubber Wheels

Accessories

Upholstery brush, Telescopic tube, Floor Cleaner and service tool

VM1680 - 1600W MULTICYCLONIC BAGLESS VACUUM CLEANER



Specifications

Power	1600W
Dust Compartment Capacity	2.5L
Cord Length	5m

Features

- 6 stage filtrations with multi cyclone
- Variable speed step less suction for better control
- Overload protector
- Automatic cord winder
- Washable low maintenance filters

Accessories

2 in 1, round and upholstery brushes



STEAM MOPS

FSM1605 - 1300W STEAM MOP



Specifications

Power	1300W
-------	-------

Features

- Kills 99.9% of germs and bacteria without the need for chemicals.
- Ready to use in 30 seconds.
- Easy Glide™ Micro Fiber pad for ultimate pick up performance.
- Powerful super heated steam flow for deep and quick cleaning of hard floors.
- Lightweight and easy to move.
- Swivel Steering - 180° pivoting mop head maneuvers around furniture and in tight spaces.
- Removable, easy to fill water tank - just add tap water.

Accessories

2 Micro fibre Pads

FSMH13E5 - 1300W 5-IN-1 STEAM MOP



Specifications

Power	1300W
Cable Length	4m
Run Time	15min

Features

- Ready to use in 30 seconds.
- Removable, fixed and easy to fill water tank - just add water, no chemicals required
- Swivel steering 180° - manoeuvres around furniture and tight spaces.
- Safe to use on all sealed floors.
- Floors will dry in seconds due to boiler efficiency.
- Comes with 5 in 1 accessory.
- 99.9% germ kill and sanitization without chemicals
- Easy stain removal in less than 10 seconds

Accessories

- 1 x Microfiber floor pad
- 1 x Adapter nozzle
- 1 x Round brush
- 1 x Small squeegee
- 1 x Grout brush

Robo Vac

Let **BLACK+DECKER®** clean for you.

The BLACK+DECKER® promise is to make life easier. We have designed a cleaning solution that is hands free, integrates with your daily life through a smart app or voice assist device, and cleans every nook and cranny, so you don't have to lift a finger.



BRVA425B10/ BRVA425B00 - 2-IN-1 ROBOTIC VACUUM AND MOP



*Measured on max mode



- Intelligent navigation system with Gyroscope Technology for efficient and smart cleaning path
- Cleans in tight spaces under furniture with its low profile height of 7.02cm
- Up to 2150 Pa strong suction* that cleans dust, pet hair and larger particles
- Control all aspects of unit from mobile or voice assist device
- Remote control for convenient control and cleaning schedule management
- Capable of creating boundaries for restricted areas
- 3 anti-drop sensors to prevent falls and damage
- Edge and spot cleaning modes for targeted cleaning flexibility
- 15mm obstacle climbing
- Low noise output of <70db
- High capacity battery that covers up to 120 minutes per charge
- Returns to charging base when battery runs low
- Washable filter that is easy to wash and re-use

Accessories Included:



Robot Cleaner



Charging Dock



Mop



Side Brush



3m Adhesive Paper



Adapter Power



Filter



Control Remote



Dust Brush

PRESSURE WASHERS

BEPW1600 - 1600 PSI 110 BAR PRESSURE WASHER



Specifications

Motor Type	Universal
Max Pressure	110 bar
Max Flow Rate	396 l/h
Power Consumption	1600 W
Pump Material	Aluminum

Usage

Cleaning of vehicles, machines, boats, masonry

BEPW1750 - 1740 PSI 120 BAR PRESSURE WASHER



Specifications

Motor Type	Universal
Max Pressure	120 bar
Max Flow Rate	408 l/h
Power Consumption	1500 W
Pump Material	Aluminum

Usage

Washes your car clean, Cleans the tiles in the garden paths and driveways, removes dirt that sticks to garage shutters, Suitable for washing your home windows and Floorings.

BEPW1800T - 1810 PSI 125 BAR PRESSURE WASHER



Specifications

Motor Type	Universal
Max Pressure	125 bar
Max Flow Rate	408 l/h
Power Consumption	1700W
Pump Material	Aluminum

PRESSURE WASHERS

BEPW2200 - 2175 PSI 150 BAR PRESSURE WASHER



Specifications

Motor Type	Universal
Max Pressure	150 bar
Max Flow Rate	450 l/h
Power Consumption	2000W
Pump Material	Aluminum

Usage

Cleaning of vehicles, machines, boats, masonry
--

BEPW1600H - 1600 PSI 110 BAR HOR. PRESSURE WASHER



Specifications

Motor Type	Universal
Max Pressure	110 bar
Max Flow Rate	396 l/h
Power Consumption	1300W
Pump Material	Aluminum

Includes

- Pressure Washer BEPW1600H • Hose • Cable Strap
- Detachable Spray Gun With Safety Lock • Cleaning Pin
- Detergent Bottle • Filter • Garden Connector
- Turbo & Fan to Pencil Nozzle



PRESSURE WASHERS

BEPWB1740 - 120 BAR PRESSURE WASHER



Specifications

Motor Type	Brushless Induction
Power Rating	1500W
Max Pressure	120 Bar
Max Pressure	1740 PSI
Max Flow Rate	5.3 lt/min
Pump Material	Aluminium
Self-Priming	Yes
Nozzles	Fan to Pencil, Turbo
Soap Bottle	Yes
Hose Length	6m

BEPWB2400 - 165 BAR PRESSURE WASHER



Specifications

Motor Type	Brushless Induction
Power Rating	2100W
Max Pressure	165 Bar
Max Pressure	2393 PSI
Max Flow Rate	6.7 lt/min
Pump Material	Aluminium
Self-Priming	Yes
Nozzles	Fan to Pencil, Turbo
Soap Bottle	Yes
Hose Length	8m



CHAINSAW

BECS2245 - 18" CHAINSAW



Specifications

Voltage	220-240V
Bar length	45cm
Max bar length	511mm
Saw chain speed (No Load)	14.5m/s
Max cutting length	407mm
Oil capacity	170ml
Weight (without saw chain, guide bar, oil)	4.3kg

Features

- **Serious Cutting Power**
A suitable tool for fast completion of large cutting tasks
- **Auto Oiling Mechanism**
Integrated auto oil system lubricates the chain, for reduced wear and greater cutting efficiency
- **Tool-Free Chain Tensioning**
Quick and easy chain fitting and adjustment for best cutting performance



LAWN MOWERS

BEMW471BH - ROTARY LAWN MOWER 38CM



Specifications

Voltage	240V
Power	1600W
Type	Rotary
Dimension	77.2 x 43 x 42.3cm
Weight	14.7kg

BEMWH551 - HOVER MOWER



Specifications

Power	1200W
Weight	2Kg

Features

- 1200W motor Quiet and efficient enough power to get the job done.
- Compact 30cm deck Ideal for smaller gardens easy to use and maneuver.
- Lightweight construction Use on all terrains Ideal for hills, uneven surfaces.
- Two stage start Safety feature avoid accidental start up.
- Folding, Steel handle robust and durable allows for regular folding and hanging.
- Plastic cutting blades Interchangeable removes need for sharpening.



LAWN MOWERS

BEMW451BH - ROTARY LAWN MOWER 32CM



Specifications

Voltage	240V
Power	1200W
Type	Rotary
Dimension	63.7x35.6x4.5cm
Weight	9.35kg

BEMW461BH - ROTARY LAWN MOWER 34 CM



Specifications

Voltage	240V
Power	1400W
Type	Rotary
Dimension	75.2x38.2x41.4cm
Weight	13.5kg



LAWN & GARDEN

GL350L - 350W GRASS STRING TRIMMER



Powerful 350 W motor and 25 cm cutting swath for efficient trimming of small gardens

Specifications

Power	350W
Cutting Speed	12000rpm
Cutting Width	23cm
Weight	1.6kg

Features

- Equipped with an easy-to-adjust handle
- Proven Black+Decker bump feed mechanism for easy line feed
- Secondary handle for increased balance and comfort
- Simple cable management

STC1820EPCF - 18V EASY FEED STRING TRIMMER



Specifications

Voltage	18V
Battery Capacity	2.0Ah

Features

- Equipped with an easy-to-adjust handle.
- 2 speeds 5500/7400 rpm turbo for tougher, eco for lighter tasks delivers longer run time.
- Soft Grip for Greater Comfort & Control.
- Wheeled Edger -ideal for edging pathways or around flower beds.
- Simple flip to edge mechanism.
- Power command: easy feed button control your line with the push of a button.



LAWN & GARDEN

GTC18502PCF - 18V POWER CUT HEDGE TRIMMER



Specifications

Voltage	18V
Battery Capacity	2.0Ah
Blade Length	50cm

Features

- Soft Grip for Greater Comfort & Control
- 18 MM Blade Gap to Quickly Cut Branches Cycling action allows repeated impacts of the blades on the branch.
- Gear train/blade cycles forward and back
- Two handed actuations for Safety
- POWER COMMAND: get through a jam at the push of a button, solves user frustrations.

BCPC20D1 - 18V 2.0AH PRESSURIZED SPRAYER



Specifications

Voltage	18V
Battery	2.0Ah
Standard Wand	57cm

Features

- Different pressure levels for heavy debris removal or extended runtime.
- Ergonomic design to use on the go with ability to deliver pressurized water from any source.
- Interchangeable wand the right length for the right task, Standard Wand: 57cm
- Built in nozzle: from pencil jet to fan spray pattern.
- Up to 350 PSI (24 bar) providing optimal cleaning power.
- Truly cordless option -possibility to draw from any fresh water source (bucket, swimming pool, lake, river,...).



LAWN & GARDEN

BCSS20D1 - 18V 2.0AH SHEAR SHRUBBER



Specifications

Voltage	18V
Battery	2.0Ah
Standard Wand	57cm

Features

- Dual Action blade for detailed trimming around shrubs
- Trimming of grasses, edges and detailed areas.
- Easily switch between shears and trimmers.
- Ergonomic design for comfort during prolonged detail usage.

BL2018 - 2.0AH 18V BATTER LI-ION BATTERY



Specifications

Voltage	18V
Battery	2.0Ah
Battery Type	Lithium Ion

Features

- Suitable for use with all Black & Decker
- 18V Li-Ion Power & Garden tools



BLOWER

GWC1820PCF - 18V POWER COMMAND BOOST BLOWER



Specifications

Voltage	18V
Battery Capacity	2.0Ah
Blade Length	50cm
Weight	1.6kg

Features

- POWERCOMMAND: boost more miles per hour at the push of a button for clearing stubborn leaves / debris.
- Simple to assemble & removable blower chute can be stored in 2 parts.
- POWERCOMMAND delivers higher speed at 209 Km/h, normal mode operates at 80% (169 Km/h)
- Soft Grip for Greater Comfort & Control. 98 Cubicfeet per minute

BEBLV300-GB - 3000W 3-IN-1 ,72L COMPACT BLOWER VACUUM WITH BACKPACK

NEW



Specifications

Power input	3000W
Capacity	72L (Backpack collection bag)
2 Speed Setting	
Movement & attachment	Pivot Handle / Strap + Rake
Roll+Click	Easy Release locking system to unclip bag
Includes	Blower, Leaf Blower Tube, Garden Vacuum Tube, Backpack Collection Bag, Installation Tool





DIGITAL PRESENCE



@BlackandDeckerIndia



@blackanddeckerindia



Black+Decker India



Black+Decker India



www.blackanddeckerindia.com



<https://www.sbdsmartorder.co.in>

STANLEY BLACK & DECKER INDIA PVT. LTD.

28 Akemps, 3rd Main, 1st Cross,
Ashwini Layout, Koramangala,
Intermediate Ring Road,
Bangalore - 560 047

E: sbd-customercommunications@sbdinc.com
Toll Free: 1800 - 203 - 0644

